

Farming for the future

BS120 SERIES BELT SPREADER



Scan the QR code for product information

Web: excelagriculture.com.au

Email: info@excelagriculture.com.au



The Excel Gyral Belt Spreader BS120 offers unmatched capacity and precision for large-scale fertiliser and seed distribution. Engineered for reliability and efficiency, it's designed to handle the toughest tasks with ease and accuracy.

Features

Extra-Large Hopper Capacity: Designed to minimise refills, allowing for uninterrupted operation.

Advanced Belt Technology: Ensures consistent and even distribution of materials for superior coverage.

Customisable Spreading Width: Easily adjustable settings to match the needs of any operation.

Rugged Durability: Built with heavy-duty components to perform reliably in tough field conditions.

Versatile Applications: Handles a variety of materials, including fertiliser, lime, and seed.

Configurations & Specifications

Max Load Capacity: 14,400kg - 12.0m3 (Lime).

Net Weight: 4,200kg.

Frame Size: 200mm x 100mm x 9mm.

Wheels - Standard: 500/60×22.5" Flotation Tyre. Safety Guard: Rear Bumper and Personnel Guard

Axle: Tandem.

Wheel Spacings: 3.0m Wheel Crs. Belt Drive - Standard: Hydraulic Drive.

Belt Width: 800mm wide.

Spinners: 720mm dia. hydraulic spinners with fully adjustable stainless

steel flights - electric speed sensor.

Options

Anti Pack Grid: Standard.

Cover: Rollover.

Side Dresser: Double spinner.

Cross Elevator: Single or double sided. **High Capacity Bin Extensions:** 4.3m3

(340mm high).

Hydraulic Drive: PTO pump and tank.



Excel Agriculture is dedicated to supporting farmers every step of the way. From setup to servicing, our expert technicians are here to provide guidance and assistance. Contact our Product Support team at info@excelagriculture.com.au or (07) 4636 9100 for more information. You can visit our office at 74/92 Buckland Street, Toowoomba City QLD 4350.