

SMALL FRAME AIR SEEDER



Scan the QR code for
product information

Phone: (07) 4636 9100

Web: excelagriculture.com.au

Email: info@excelagriculture.com.au



Big Performance in a Compact Design.

Perfect for smaller farms and versatile applications.

Small Frame Air Seeder

The Gyrat Small Frame Air Seeder delivers precision and reliability in a compact design. Ideal for smaller farms, it provides efficient seed and fertiliser distribution, ensuring optimal performance across diverse field conditions.

Features

Compact Design: Perfect for smaller fields or operations requiring agility and efficiency.

Easy Handling: Lightweight and manoeuvrable for quick setup and operation.

Pressurised Bins: Optimal air pressure to deliver uniform seed and fertiliser distribution across varying field conditions.

Stainless Metering: Advanced distribution system ensuring even and consistent application for optimal results.

Hydraulic Drive: Easy 'on the go' rate adjustments from cabin and variable rate control capacity, including prescription mapping.

Configurations & Specifications

Capacity: 2 or 3 bin frames configuration. Individual bin sizes of 1000kg, 1300kg, 1800kg. Total capacity range from **2660L to 4800L**.

Tow Behind: King Pin Steer with super-steer front linkage system for a tighter turning radius.

Outlets: 4, 6, or 8 primary outlet hoppers. Single or split air system.

Fan: 80mm high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

Wheels: Gripster tyre on 2m wheel centres.

Options

Controller: SmartAgSystems 7500 and ISOBUS seeder controller options with variable rate capability.

Auger: 150mm hydraulic load/unload auger with lift and slew cylinders for improved handling.

Bin Scales: In-cabin and remote display options available.

Small Seeds Bin: 200kg (256L) & 400kg (530L) small seeds bin sizes with ladder and platform access.

Cameras: Robust, weather proof LED High Definition camera options.

Lighting: Heavy duty industrial LED lighting options.

Wheels: Gripster tyre on 3 or 4m wheel centres.

Fan: 115mm wide high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

Transport Accessories: Oversize sign, flashing light and tail light kits available.



Excel Agriculture: Driving Farming Forward

Excel Agriculture is dedicated to supporting farmers every step of the way. From setup to servicing, our expert technicians are here to provide guidance and assistance. Contact our Product Support team at info@excelagriculture.com.au or (07) 4636 9100 for more information. You can visit our office at 74/92 Buckland Street, Toowoomba City QLD 4350.