

Farming for the future

DOUBLE DISC (SP 200) ROW UNIT



Scan the QR code to see this equipment online

Web: excelagriculture.com.au

Email: info@excelagriculture.com.au



Double Disc Row Unit (SP 200)

The Excel Double Disc SP200 is designed for precise seed placement and superior ground engagement. Its double-disc system ensures excellent penetration and consistent depth control, making it ideal for a wide range of soil conditions and planting needs.

Features

Double Disc Technology: Provides precise seed placement and uniform soil coverage for optimal crop establishment.

Robust Design: Built with high-strength materials for durability and reliability.

Adjustable Depth Control: Achieve consistent seeding depth to match your specific crop requirements.

Low Maintenance Components: High-quality materials reduce downtime and operating costs.

Versatility: Suitable for various soil types and cropping systems.

Benefits of SP200

- · Low maintenance for a double disc unit.
- Low horsepower requirements 3-5 H.P. per row unit.
- · Accurate seed placement.
- Heavy duty construction designed to meet the demands of Australian broadacre and zero till farming practices.
- Maximise yield potential by conserving moisture and retaining stubble cover.

Double Discs, Double Precision.

Built for durability and consistent performance.

Configurations & Specifications

- 16" 4mm Coulter on 4 degree disc angle.
- Heavy duty HT bearing/hub assemblies with marine seals.
- One tapered bearing size for the entire unit.
- · Simple depth adjustment.
- · Slotted gauge wheels as standard.
- Variety of closing wheels for the V configuration.
- · Non greasing row unit.

SP200 Optional Equipment

- Precision boxes 1.6 or 3 bushel.
- · Range of Diffusers including mounts.
- Mud scrapers (tungsten).
- · Gauge wheel scraper ring.
- · Steel and Rubber Press wheels.
- · Walking press wheel with quick adjust handle.
- · Trash whippers and mounts.
- · Starter and liquid fertiliser tubes.
- Drag chains.
- Row unit lockout



Excel Agriculture is dedicated to supporting farmers every step of the way. From setup to servicing, our expert technicians are here to provide guidance and assistance. Contact our Product Support team at info@excelagriculture.com.au or (07) 4636 9100 for more information. You can visit our office at 74/92 Buckland Street, Toowoomba City QLD 4350.

Excel Agriculture reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only. Some of the items pictured in this brochure are optional and not standard equipment.