

PARALLELOGRAM TYNE UNIT (CR600)



Scan the QR code to
see this equipment online

Phone: (07) 4636 9100

Web: excelagriculture.com.au

Email: info@excelagriculture.com.au



Strength in Design, Precision in Planting.

Robust construction and precise depth control.

Parallelogram Tyne Unit (CR600)

The Excel CR600 Parallelogram Tyne Unit combines strength and precision, offering excellent depth control and consistent performance in a variety of soil types. Its robust design ensures durability, making it the ideal choice for demanding planting conditions.

Features

Parallelogram Design: Ensures consistent depth control and precise soil engagement across varying field conditions.

Heavy-Duty Construction: Built with high-strength materials for durability and reliability.

Adjustable Tyne Pressure: Provides flexibility for optimal performance in different soil types and conditions.

Water-Resistant Components: Engineered for long-lasting use with minimal maintenance.

Versatile Application: Suitable for seeding, soil preparation, and weed control.

Benefits of CR600

- Low maintenance.
- Accurate seed placement with minimum soil throw..
- Heavy duty construction designed to meet the demands of Australian broadacre and zero till farming practices.
- Maximise yield potential by conserving moisture and retaining stubble cover.

Configurations & Specifications

- 20" 6mm Coulter with rubber coated drums both sides.
- Tungsten scrapers fitted to drum colters as standard.
- Simple shank adjustment for seed depth at 1/2" increments.
- Low draft shank as standard with removable seed boot design.
- 600lb spring stump jump (optional 800lb).
- One bearing and marine seal size for Coulter and press wheel axle.
- Horsepower requirements 10H.P. per row unit.

CR600 Optional Equipment

- Range of Diffusers including mounts.
- Various Rubber Press Profiles.
- Double disc shank option.
- Drag chains.
- Variety of cast point options.



Excel Agriculture: Farming for the Future

Excel Agriculture is dedicated to supporting farmers every step of the way. From setup to servicing, our expert technicians are here to provide guidance and assistance. Contact our Product Support team at info@excelagriculture.com.au or (07) 4636 9100 for more information. You can visit our office at 74/92 Buckland Street, Toowoomba City QLD 4350.

Excel Agriculture reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only. Some of the items pictured in this brochure are optional and not standard equipment.