

**EXCEL**  
Agriculture

*Farming for the future*

# GYRAL AIR SEEDERS



Scan the QR code for  
product information

**Phone:** (07) 4636 9100

**Web:** [excelagriculture.com.au](http://excelagriculture.com.au)

**Email:** [info@excelagriculture.com.au](mailto:info@excelagriculture.com.au)



# Air Seeders

## Precision Farming Redefined

Innovating Australian Agriculture for Over Six Decades.

For over 60 years, Gyral Air Seeders have been synonymous with reliability, precision, and efficiency in Australian farming. Proudly engineered in Toowoomba, Queensland, our air seeders are built to thrive in Australia's unique farming conditions.





## Precision Seeding, Perfectly Mounted.

Engineered for versatility and  
efficiency in every field.

## Mounted Frame Air Seeder

The Excel Gyrat Mounted Air Seeder combines precision and reliability in a compact design, ideal for smaller-scale operations or challenging terrains. Engineered for versatility, it ensures accurate seed placement and efficient fertiliser distribution, enhancing productivity and field performance.

### Features

**Compact Design:** Perfect for smaller fields or operations requiring agility and efficiency.

**Easy Handling:** Lightweight and manoeuvrable for quick setup and operation.

**Pressurised Bins:** Optimal air pressure to deliver uniform seed and fertiliser distribution across varying field conditions.

**Stainless Metering:** Advanced distribution system ensuring even and consistent application for optimal results.

**Hydraulic Drive:** Easy 'on the go' rate adjustments from cabin and variable rate control capacity, including prescription mapping.

### Configurations & Specifications

**Capacity:** 2-bin configuration. Individual bin sizes of 1000kg, 1250kg, 1500kg. Total capacity range from **2660L to 3990L**.

**Mounted Design:** 2 Light weight mounted onto machine frames for compact setup.

**Outlets:** 3, 4, or 6 primary outlet hoppers. Single or split air system.

**Fan:** 80mm high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

### Options

**Controller:** SmartAgSystems 7500 and ISOBUS seeder controller options with variable rate capability.

**Bin Scales:** In-cabin and remote display options available.

**Small Seeds Bin:** 200kg (256L) & 400kg (530L) small seeds bin sizes with ladder and platform access.

**Cameras:** Robust, weather proof LED High Definition camera options.

**Lighting:** Heavy duty industrial LED lighting options.

**Fan:** 115mm wide high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Transport Accessories:** Oversize sign, flashing light and tail light kits available.





## Single Axle Frame Air Seeder

The Gyrat Single Axle Air Seeder offers a compact, efficient solution for precision seeding and fertiliser application. Its streamlined design ensures easy manoeuvrability, making it perfect for operations requiring reliability and versatility in the field

## Efficiency and Precision on Every Pass.

Compact design with reliable performance.

### Features

**Compact Design:** Perfect for smaller fields or operations requiring agility and efficiency.

**Easy Handling:** Lightweight and manoeuvrable for quick setup and operation.

**Pressurised Bins:** Optimal air pressure to deliver uniform seed and fertiliser distribution across varying field conditions.

**Stainless Metering:** Advanced distribution system ensuring even and consistent application for optimal results.

**Hydraulic Drive:** Easy 'on the go' rate adjustments from cabin and variable rate control capacity, including prescription mapping.

### Configurations & Specifications

**Capacity:** 2-bin configuration. Individual bin sizes of 1000kg, 1300kg, 1800kg. Total capacity range from **2660L to 4800L**.

**Tow Behind:** Single axle design.

**Outlets:** 4, 6, or 8 primary outlet hoppers. Single or split air system.

**Fan:** 80mm high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Wheels:** Gripster tyre on 2m wheel centres.

### Options

**Controller:** SmartAgSystems 7500 and ISOBUS seeder controller options with variable rate capability.

**Auger:** 150mm hydraulic load/unload auger with lift and slew cylinders for improved handling.

**Bin Scales:** In-cabin and remote display options available.

**Small Seeds Bin:** 200kg (256L) & 400kg (530L) small seeds bin sizes with ladder and platform access.

**Cameras:** Robust, weather proof LED High Definition camera options.

**Lighting:** Heavy duty industrial LED lighting options.

**Fan:** 115mm wide high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Transport Accessories:** Oversize sign, flashing light and tail light kits available.





## Big Performance in a Compact Design.

Perfect for smaller farms and versatile applications.

## Small Frame Air Seeder

The Gyral Small Frame Air Seeder delivers precision and reliability in a compact design. Ideal for smaller farms, it provides efficient seed and fertiliser distribution, ensuring optimal performance across diverse field conditions.

### Features

**Compact Design:** Perfect for smaller fields or operations requiring agility and efficiency.

**Easy Handling:** Lightweight and manoeuvrable for quick setup and operation.

**Pressurised Bins:** Optimal air pressure to deliver uniform seed and fertiliser distribution across varying field conditions.

**Stainless Metering:** Advanced distribution system ensuring even and consistent application for optimal results.

**Hydraulic Drive:** Easy 'on the go' rate adjustments from cabin and variable rate control capacity, including prescription mapping.

### Configurations & Specifications

**Capacity:** 2 or 3 bin frames configuration. Individual bin sizes of 1000kg, 1300kg, 1800kg. Total capacity range from **2660L to 4800L**.

**Tow Behind:** King Pin Steer with super-steer front linkage system for a tighter turning radius.

**Outlets:** 4, 6, or 8 primary outlet hoppers. Single or split air system.

**Fan:** 80mm high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Wheels:** Gripster tyre on 2m wheel centres.

### Options

**Controller:** SmartAgSystems 7500 and ISOBUS seeder controller options with variable rate capability.

**Auger:** 150mm hydraulic load/unload auger with lift and slew cylinders for improved handling.

**Bin Scales:** In-cabin and remote display options available.

**Small Seeds Bin:** 200kg (256L) & 400kg (530L) small seeds bin sizes with ladder and platform access.

**Cameras:** Robust, weather proof LED High Definition camera options.

**Lighting:** Heavy duty industrial LED lighting options.

**Wheels:** Gripster tyre on 3 or 4m wheel centres.

**Fan:** 115mm wide high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Transport Accessories:** Oversize sign, flashing light and tail light kits available.





## Maximised Efficiency, Larger Coverage.

Designed to tackle expansive  
fields with ease.

## Large Frame Air Seeder

The Gyrat Large Frame Air Seeder is built for high-capacity operations, offering unmatched efficiency and precision. Designed for larger farms, it ensures optimal seed and fertiliser delivery, maximising productivity in every pass.

### Features

**Heavy-Duty Build:** Robust design to handle the toughest field conditions with ease..

**High-Capacity Bins:** Available in 2 or 3-bin options to accommodate seed, fertiliser, or both simultaneously.

**Pressurised Bins:** Optimal air pressure to deliver uniform seed and fertiliser distribution across varying field conditions.

**Stainless Metering:** Advanced distribution system ensuring even and consistent application for optimal results.

**Hydraulic Drive:** Easy 'on the go' rate adjustments from cabin and variable rate control capacity, including prescription mapping.

### Configurations & Specifications

**Capacity:** 2 or 3 bin frames configuration. Individual bin sizes of 2400kg, 3000kg, 4000kg. Total capacity range from **6400L to 10640L**.

**Tow Behind:** King Pin Steer with super-steer front linkage system for a tighter turning radius. .

**Outlets:** 4, 6, or 8 primary outlet hoppers. Single or split air system.

**Fan:** 80mm high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Wheels:** Gripster tyre on 2m wheel centres.

### Options

**Controller:** SmartAgSystems 7500 and ISOBUS seeder controller options with variable rate capability.

**Auger:** 200mm hydraulic load/unload auger with lift and slew cylinders for improved handling.

**Bin Scales:** In-cabin and remote display options available.

**Small Seeds Bin:** 200kg (256L) & 400kg (530L) small seeds bin sizes with ladder and platform access.

**Cameras:** Robust, weather proof LED High Definition camera options.

**Lighting:** Heavy duty industrial LED lighting options.

**Wheels:** Gripster tyre on 3 - 4m wheel centres.

**Fan:** 115mm & 155mm wide high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Transport Accessories:** Oversize sign, flashing light and tail light kits available.





## Extra Large Frame Air Seeder

The Gyrat Extra Large Frame Air Seeder is the ultimate solution for expansive farming operations. Engineered for maximum capacity and efficiency, it delivers precise seed and fertiliser application, optimising productivity across vast acreages.

### Features

**Heavy-Duty Build:** Robust design to handle the toughest field conditions with ease..

**Extra-Large Capacity:** Massive frame and high-capacity bins to reduce downtime and maximise productivity.

**Pressurised Bins:** Optimal air pressure to deliver uniform seed and fertiliser distribution across varying field conditions.

**Stainless Metering:** Advanced distribution system ensuring even and consistent application for optimal results.

**Hydraulic Drive:** Easy 'on the go' rate adjustments from cabin and variable rate control capacity, including prescription mapping.

### Configurations & Specifications

**Capacity:** 2 or 3 bin frames configuration. Individual bin sizes of 5000kg, 6000kg, 7000kg. Total capacity range from **13300L to 28000L**.

**Tow Behind:** King Pin Steer with super-steer front linkage system for a tighter turning radius. .

**Outlets:** 4, 6, or 8 primary outlet hoppers. Single or split air system.

**Fan:** 115mm high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Wheels:** Gripster tyre on 3m wheel centres.

## Ultimate Capacity, Unmatched Precision.

Ensures optimal performance across large-scale operations.

### Options

**Controller:** SmartAgSystems 7500 and ISOBUS seeder controller options with variable rate capability.

**Auger:** 200mm hydraulic load/unload auger with lift and slew cylinders for improved handling.

**Bin Scales:** In-cabin and remote display options available.

**Small Seeds Bin:** 200kg (256L) & 400kg (530L) small seeds bin sizes with ladder and platform access.

**Cameras:** Robust, weather proof LED High Definition camera options.


**Lighting:** Heavy duty industrial LED lighting options.

**Wheels:** Gripster tyre on 4m wheel centres.

**Fan:** 155mm wide high capacity blower fan with oil cooler and integrated fan intake to dehumidify the air stream.

**Transport Accessories:** Oversize sign, flashing light and tail light kits available.





Whether you need a compact solution or a large-scale seeding system, our range is designed to meet the demands of modern agriculture. Backed by innovative technology and industry expertise, Excel Gyrat air seeders deliver reliability season after season.

For more details or to find the right air seeder for your operation, visit our website at [excelagriculture.com.au](https://www.excelagriculture.com.au) or contact our team today.





# Excel Agriculture: Driving Farming Forward

Excel Agriculture is dedicated to supporting farmers every step of the way. From setup to servicing, our expert technicians are here to provide guidance and assistance. Contact our Product Support team at [info@excelagriculture.com.au](mailto:info@excelagriculture.com.au) or **(07) 4636 9100** for more information. You can visit us at our office 74-92 Buckland Street, Toowoomba City QLD 4350

Excel Agriculture reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only. Some of the items pictured in this brochure are optional and not standard equipment.