

PLANTER FRAMES



Scan the QR code for
product information

Phone: (07) 4636 9100

Web: excelagriculture.com.au

Email: info@excelagriculture.com.au



Built to Support, Designed to Last

Excel Stubble Warrior Planter Frames are engineered for durability and versatility, providing a strong, adaptable foundation for precision planting. Designed to handle various attachments and field conditions, they ensure consistent performance and reliability.



Excel Stubble Warrior Single Bar 3 Point Linkage Frame

200 x 200mm RHS Frame, Cat 3/4 welded Linkage.

2 x 7.50 x 16 gauge wheels.

Widths: 8 – 12 metre.

Options

- Rigid & Folding toolbars.
- Lift assist wheels.



Excel Single Bar 3 Point Linkage Stack Fold Frame

200 x 200mm RHS Frame, Cat 3/4 welded Linkage,

4 x Safety Stands, 3/6/3 metre Bar sections.

Widths: 8 – 12 metre.




Excel Stubble Warrior Forward Fold Trailing Frame

Single 200 x 200mm Bar, 3 section Welded Frame, Hydraulic Telescopic Drawbar.

Single Main Frame Gauge Wheels @ 3 metre centres.

Widths: 18 – 24 metre.



Excel Stubble Warrior Double Bar 3 Point Linkage Frame

100 x 100mm RHS Twin bar.

Welded 3PL Hitch.

4 x safety stands.

1 Pair of 7.50 x 16 Depth Wheels.

Widths: 6 – 12 metre.

Options

- Rigid.
- Folding toolbars.



Excel Single Bar 3 Point Linkage Frame With Rotation Bars

Single bar three point linkage frame with rotation bars.

Widths: 8 – 12 metre.

Options

- Rigid.
- Folding toolbars.




Excel 2 Point Linkage Frame With Rotation Bars

150mm x 100mm RHS Bolted Main.


Fitted with 2 Rotating Hydraulic Pivoting Bars.

Widths: 4 – 9 metre.




Excel Double Bar Trailing Frame With Rotation Bars

3 Sections – Folding – Floating Pull.
 Planter Spacings Over 2 Beams.
 Fitted with 2 Rotating Hydraulic Pivoting Bars.
 8 Wheel Configuration.
Widths: 9 – 12 metre.




Excel Stubble Warrior Highlift Trailing Frame

3 Sections – Folding – Floating Pull.
 Planter Spacings Over 2 or 3 Beams.
 8 Wheel Configuration.
Widths: 9 – 18 metre.



Excel Stubble Warrior End Tow Trailing Frame

3 – 5 Sections – End-Tow – Floating Pull.
 Planter Spacings Over 3 Beams
 8 – 12 Wheel Configurations.
Widths: 12 – 24 metre.




Excel Stubble Warrior Trailing Standard Frame

3 – 5 Sections – Folding – Floating Pull.

Planter Spacings Over 3 Beams.

6 & 12 Wheel Configurations.

Widths: 9 – 24 metre.



Excel Stubble Warrior Trailing Ultraflex Frame

3 – 5 Sections – Folding – Floating Pull.

Planter Spacings Over 3 Beams.

8 & 14 Wheel Configurations.

Widths: 9 – 24 metre.



Excel Agriculture: Driving Farming Forward

Excel Agriculture is dedicated to supporting farmers every step of the way. From setup to servicing, our expert technicians are here to provide guidance and assistance. Contact our Product Support team at info@excelagriculture.com.au or (07) 4636 9100 for more information. You can visit us at our office 74-92 Buckland Street, Toowoomba City QLD 4350

Excel Agriculture reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only. Some of the items pictured in this brochure are optional and not standard equipment.